




This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

| REVISIONS |         |  |           |         |          |
|-----------|---------|--|-----------|---------|----------|
| REV       | ECR     | DESCRIPTION  | DATE      | INITIAL | APPROVED |
| 1         | 15-0015 | -1 CORRECTED FINISH SPEC WAS MIL-A-8625F, TYPE II, CLASS II IS MIL-A-8625F, TYPE II, CLASS I. -3 CH'D DIM WAS Ø3.500 IS (Ø3.500). CORRECTED FINISH SPEC WAS MIL-A-8625F, TYPE II, CLASS II IS MIL-A-8625F, TYPE II, CLASS I. | 1/15/2015 | RJC     | JAG      |






NOTE:  
REF. EUROCOPTER T/N: 332A93-3216-00.

|  |   |
|--|---|
| <b>DART</b><br>AEROSPACE   |   |
| TITLE<br><b>EXTRACTOR SEAL</b>   |   |
| DWG NO.<br><b>RBE332A93-3216-00</b>  | REV<br><b>1</b>   |
| MAT'L<br>UNLESS OTHERWISE SPECIFIED<br>DIMENSIONS ARE IN INCHES<br>.XXX ± .005 FRACTIONS ± 1/8<br>.XX ± .01 ANGLES ± 5°<br>.X ± .1 | DRAWN BY: <b>MARPET</b><br>APPROVED <i>D Weil</i><br>HEAT TREAT<br>FINISH<br>SPEC |
| 1. BREAK ALL SHARP EDGES .015 x 45°<br>OR .015R<br>2. DIMENSIONAL LIMITS APPLY AFTER PLATING                                       | USED ON MODEL<br><b>AS332</b>   |
| SCALE <b>1:2</b>   | DATE <b>5/20/2013</b>   |
| SHEET 1 OF 3   |   |

| ASSY QTY | ASSY QTY | B/O | Part # | UNIT QTY | Description | Material | B/O INFORMATION OR SPECIFICATIONS | PG. |
|----------|----------|-----|--------|----------|-------------|----------|-----------------------------------|-----|
|          |          |     | -1     | 1        | RING        | 6061     |                                   | 2   |
|          |          |     | -3     | 1        | BODY        | 6061     |                                   | 3   |

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

| REVISIONS |         |   |           |         |          |
|-----------|---------|---|-----------|---------|----------|
| REV       | ECR     | DESCRIPTION   | DATE      | INITIAL | APPROVED |
| 1         | 15-0015 | -1 CORRECTED FINISH SPEC WAS MIL-A-8625F, TYPE II, CLASS II IS MIL-A-8625F, TYPE II, CLASS I. | 1/15/2015 | RJC     | JAG      |






SECTION A-A

(-1)  
RING

|  |                                    |
|--|------------------------------------|
| <b>DART<br/>AEROSPACE</b>                              |                                    |
| TITLE<br><b>EXTRACTOR SEAL</b>                         |                                    |
| DWG NO.<br><b>RBE332A93-3216-00-1</b>                  | REV<br><b>1</b>                    |
| MAT'L 6061   | DRAWN BY: MARPET                   |
| UNLESS OTHERWISE SPECIFIED<br>DIMENSIONS ARE IN INCHES | APPROVED <i>D Weil</i>             |
| .XXX ± .005  | HEAT TREAT                         |
| .XX ± .01  | FINISH                             |
| .X ± .1  | CLEAR ANODIZE                      |
| 1. BREAK ALL SHARP EDGES .015 x 45°<br>OR .015R        | SPEC MIL-A-8625F, TYPE II, CLASS I |
| 2. DIMENSIONAL LIMITS APPLY AFTER<br>PLATING           | USED ON MODEL                      |
|  | AS332                              |
| SCALE 1:2  | DATE 5/20/2013                     |
|  | SHEET 2 OF 3                       |

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

| REVISIONS |         |  |           |         |          |
|-----------|---------|--|-----------|---------|----------|
| REV       | ECR     | DESCRIPTION  | DATE      | INITIAL | APPROVED |
| 1         | 15-0015 | -3 CH'D DIM WAS Ø3.500 IS (Ø3.500), CORRECTED FINISH SPEC WAS MIL-A-8625F, TYPE II, CLASS II IS MIL-A-8625F, TYPE II, CLASS I. | 1/15/2015 | RJC     | JAG      |



SECTION B-B

(-3)  
BODY

|  |                                    |
|--|------------------------------------|
| <b>DART<br/>AEROSPACE</b>                              |                                    |
| TITLE<br><b>EXTRACTOR SEAL</b>                         |                                    |
| DWG NO.<br><b>RBE332A93-3216-00-3</b>                  | REV<br><b>1</b>                    |
| MAT'L 6061   | DRAWN BY: MARPET                   |
| UNLESS OTHERWISE SPECIFIED<br>DIMENSIONS ARE IN INCHES | APPROVED <i>D Weil</i>             |
| .XXX $\pm .005$  | HEAT TREAT                         |
| .XX $\pm .01$  | FINISH                             |
| .X $\pm .1$  | CLEAR ANODIZE                      |
| 1. BREAK ALL SHARP EDGES .015 x 45°<br>OR .015R        | SPEC MIL-A-8625F, TYPE II, CLASS I |
| 2. DIMENSIONAL LIMITS APPLY AFTER<br>PLATING           | USED ON MODEL                      |
|  | AS332                              |
| SCALE 1:2  | DATE 5/20/2013                     |
|  | SHEET 3 OF 3                       |